

# **Contact Block 2 and 4 wires For Manual Lance** holder





Website: https://unitedeg-co.com

**Email**: sales@unitedeg-co.com **Phone**: +201140797902 - +201067780801 - +2001069995798















Website: https://unitedeg-co.com

**Email**: sales@unitedeg-co.com **Phone**: +201140797902 - +201067780801 - +2001069995798










## **Product Description**

Contact Block R & S Type, designed for temperature and oxygen measurement applications.



### **Product Parameters**

Item Description	Contact Block 2 pole R & S type ( 2 terminals Temperature Measuring ) Contact Block 4 pole R & S type ( 4 terminals For Oxygen and Temperature Measuring )
Element Type	R ,S 604

Website: https://unitedeg-co.com

**Email**: sales@unitedeg-co.com **Phone**: +201140797902 - +201067780801 - +2001069995798









### **Our Advantages**

#### **ISO9001 High-Quality Promise**

From raw material procurement, production process to finished product inspection, all processes are carried out under the ISO9001 quality system to ensure stable product quality.

#### **High Precision Advantage Technology**

Fully automated production lines, the establishment of product network information system, from raw materials inspection, weight control, dimension control, formula management, the entire product manufacturing network monitoring, to avoid human errors.

#### **High Purity Material**

Use the imported high-purity thermocouple wires and auxiliary raw materials, a variety of different thermocouples, lance can be provided by us. With sophisticated production instruments and full inspection during production, it is to ensure that qualified products flow to customers.

#### **OEM and ODM Service**

Over the years, we have always taken the pursuit of customer needs and satisfaction as our goal. Compared with other companies, our disposable thermocouple has the advantages of accurate measurement, fast reaction speed and many times of use.

Website: https://unitedeg-co.com

**Email**: sales@unitedeg-co.com

**Phone:** +201140797902 - +201067780801 - +2001069995798





